



ZCBV907856_RE.ap/23-07-2019 11:23/Cyan/Magenta/Yellow/PANTONE 2655 C/PANTONE 268 C/Keyline/



DeSchutter/Neroo nv
Blancetloerlaan 179a
2050 Antwerp
Belgium

Telephone:
+32 3 222 38 00
E-mail:
info@ds-n.com

For strong results visit www.ds-n.com

Date approval:
Sign off operator:
Sign off DSN:
Sign off customer:

Job Name
ZCBV907856_RE.ap
DSN Code
190972_FR_ZTM_(KB) 633347 Fortimel Extra 2kcal Apricot 4x200ml FR, SE
Description
Account
Account Executive Mail
Pack Code
10385915
Previous Pack Code
10374621
Corporate Code
633347
Artwork Loop
1
Repro Loop
1
Packtype
Cluster
Printer
A&R CARTON CHOLET
Technical Plan
ZTM008_Cluster_4x200ml_v03
Unwind Direction

Printing Process
Offset
Date
23-07-2019
Time
11:23
Height (mm)
+158.
Width (mm)
+488.29
Ink Coverage (%)
280.00%
Profile Number
PR0020917
Proof Profile
FOGRA 39 PSO Coated V2

Material Code ***

First Barcode Number 8716900576423
2D Code Number 10385915
Barcode BWR (µm) 20,00

DSN expects that this PDF will be checked completely regarding all text, lay-out, cutter, product code and barcode. If no correction is communicated about any of these items, DSN will consider this as being approved for further processing and ultimately printing. Due to limitations of digital proofing this PDF cannot be seen as a final printing result.

Questions? We are at your service.

This file was specifically produced for:



Separations	
Cyan	Ink Surface: 2.6%
Magenta	Ink Surface: 4.2%
Yellow	Ink Surface: 8.8%
PANTONE 2655 C	Ink Surface: 5.9%
PANTONE 268 C	Ink Surface: 5.2%
Keyline	Ink Surface: 2.7%
	Ink Surface: 0.0%
	Ink Surface: 0.0%
	Ink Surface: 0.0%
	Ink Surface: 0.0%
	Ink Surface: 0.0%
	Ink Surface: 0.0%

Check our website!

Check printed size by aligning a ruler along this ruler.
E.g.: When your ruler measures the printed ruler as 75 mm, this means that this document was printed on 75%.

